



Document shredders and laminators



Large enterprise or home office?

HP offers a wide range of powerful, practical reliable shredders and laminators that meet the needs for productivity and security in large enterprises and home offices.



Contents

Document shredders

HP Pro Shredder Auto

Page 4

HP OneShred Auto

Page 10

HP Pro Shredder

Page 16

HP OneShred

Page 22

Shredder accessories

Page 28

Laminators

HP Pro Laminators

Page 32

HP OneLam

Page 36

Laminating pouches

HP Premium laminating pouches

Page 40

HP Everyday laminating pouches

Page 44

*Data protection –
the easy way*



HP Pro Shredder Auto

The autofeed models that make data protection easy!



HP Pro Shredder Auto 200CC / 200MC



HP Pro Shredder Auto 400CC / 400MC

Quick benefits



High security levels

Depending on the type of cut being utilised, the models meet Security Level P-4 or P-5



Cutting capacity Autofeed

Depending on the model, an automatic feed of max. 200 or 400 sheets is achievable



Cut type

The document shredders are available as Cross Cut (CC) or Micro Cut (MC) models



What can be cut?

Paper, credit cards, paperclips and staples as well as CDs and DVDs (depending on the model)



Pro Shredder Auto 200MC

LIFT



Pro Shredder Auto 200CC

Pro Shredder Auto 200MC

Pro Shredder Auto 400CC

Pro Shredder Auto 400MC

Shred capacity manual feed	10 Sheet	10 Sheet	10 Sheet	10 Sheet
Shred capacity autofeed	200 Sheet	200 Sheet	400 Sheet	400 Sheet
Cut type	Cross Cut	Micro Cut	Cross Cut	Micro Cut
Cut size	4 x 20 mm	2 x 12 mm	4 x 12 mm	2 x 12 mm
Security level (DIN 66399)	P-4	P-5	P-4	P-5
Run time, manual feed	10 min	10 min	30 min	30 min
Run time, autofeed	60 min	60 min	240 min	240 min
Noise level	60 dB	60 dB	60 dB	60 dB
Bin capacity (L)	32.2	32.2	53	53
Rated sheet shredding speed	1,8 m / min	1,8 m / min	1,8 m / min	1,8 m / min
Power	345 W	414 W	345 W	414 W
Current	1.5 A	1.8 A	1.5 A	1.8 A
Bin full through	LED display / window	LED display / window	LED display / window	LED display / window
Display for open container	Yes	Yes	Yes	Yes
Automatic return	Yes	Yes	Yes	Yes
Castors included	Yes	Yes	Yes	Yes
CD/DVD-Destruction	No	No	Yes	Yes
Paper tray lock	No	No	Yes	Yes

Technical data

Logistical data

Art. No.	2820	2821	2822	2823
Barcode (unit)	4030152952397	4030152952403	4030152952410	4030152952427
Unit dimensions (mm)	356 x 466 x 584	356 x 466 x 584	400 x 500 x 764	400 x 500 x 764
Unit weight (kg)	15,7	17,9	23,4	25,6

Pro Shredder Auto 200CC

10/200 Sheet



Manual feed/Autofeed

Pro Shredder Auto 200MC

10/200 Sheet



Manual feed/Autofeed

Pro Shredder Auto 400CC

10/400 Sheet



Manual feed/Autofeed

Pro Shredder Auto 400MC

10/400 Sheet



Manual feed/Autofeed

All shredders listed above include the following features:

- overheating and overload protection
- material to be cut with manual paper feed: paper, staples and paper clips, credit cards
- material to be cut with automatic paper feed: paper, staples and paper clips
- automatic start-stop function
- easy emptying thanks to pull-out basket
- touch display: ready for operation, overheating, overload, container full

*The efficient way
to data security*



HP OneShred Auto

These powerful autofeed shredders are particularly robust and efficient!



HP OneShred Auto 80CC



HP OneShred Auto 100CCC



HP OneShred Auto 200CCC

Quick benefits



High security levels

the models meet Security Level P-4



Cutting capacity Autofeed

Depending on the model, an automatic feed of max. 80, 100 or 200 sheets is achievable




Cut type

The document shredders are available as Cross Cut (CC)



What can be cut?

Paper and credit cards



OneShred Auto 80CC

OneShred Auto 100CC

OneShred Auto 200CC

Shred capacity manual feed	8 Sheet	9 Sheet	13 Sheet
Shred capacity autofeed	80 Sheet	100 Sheet	200 Sheet
Cut type	Cross Cut	Cross Cut	Cross Cut
Cut size	4,3 x 12 mm	4,3 x 12 mm	4,3 x 12 mm
Security level (DIN 66399)	P-4	P-4	P-4
Run time, manual feed	3 min	3 min	15 min
Run time, autofeed	10 min	10 min	60 min
Noise level	68 dB	68 dB	63 dB
Bin capacity (L)	15	17	28
Rated sheet shredding speed	2 m / min	2,1 m / min	2 m / min
Power	414 W	414 W	437 W
Current	1.8 A	1.8 A	1.9 A
Bin full through	LED display / window	LED display / window	LED display / window
Display for open container	No	No	No
Automatic return	No	No	No
Rollers included	No	Yes	Yes

Logistical data

Art. No.	2817	2818	2819
Barcode (unit)	4030152028177	4030152028184	4030152028191
Unit dimensions (mm)	330 x 219 x 425	331 x 218 x 502	376 x 280 x 586
Unit weight (kg)	7,7	8,4	13,5

More information



OneShred Auto 80CC

OneShred Auto 100CC

OneShred Auto 200CC

80 Sheet



Autofeed

8 Sheet



Manual feed

100 Sheet



Autofeed

9 Sheet



Manual feed

200 Sheet



Autofeed

13 Sheet



Manual feed

All shredders listed above include the following features:

- overheating and overload protection
- material to be cut with manual paper feed: paper, credit cards
- material to be cut with automatic paper feed: paper
- automatic start-stop function
- easy emptying thanks to pull-out basket
- LED status indicator: ready, forward, reverse, overheat, overload

It's all about data protection



HP Pro Shredder

These professional business document shredders are extraordinarily powerful and quiet!



HP Pro Shredder 15CC / 10MC



HP Pro Shredder 18CC / 12MC



HP Pro Shredder 24CC / 16MC

Quick benefits



High security levels

Depending on the type of cut being utilised, the models meet Security Level P-4 or P-5



Operating noise

With a noise level of only 55 decibels, the shredders are exceptionally quiet



Cut type

The document shredders are available as Cross Cut (CC) or Micro Cut (MC) models



What can be cut?

Paper, credit cards, paper clips and staples



Data protection and safety



What you should know about the protection classes

- ! HP shredders are available as
- high security levels P-4 and P-5

P-1

- internal communication
- EC- and credit cards
- forms or notices
- no personal data



Strip cut
≤ 12 mm width

P-2

- internal communication
- EC- and credit cards
- forms or notices
- no personal data



Strip cut
≤ 6 mm width

P-3

- orders
- offers and confirmations
- delivery notes with address data



Particle cut
≤ 320 mm² area or
≤ 2 mm particle width

P-4

- customer data
- tax and financial documents
- operating documents



Particle cut
≤ 160 mm² area and
≤ 6 mm particle width

P-5

- strategy papers
- construction documents
- balance sheets
- process documents
- patient files



Microcut
≤ 30 mm² area and
≤ 2 mm particle width

P-6

- research and development data
- patents



Microcut
≤ 10 mm² area and
≤ 1 mm particle width

P-7







- military high security data
- communication service
- embassies



Super microcut
≤ 5 mm² area and
≤ 1 mm particle width

Shred capacity	15 sheets	10 sheets	18 sheets	12 sheets	24 sheets	16 sheets
Cut type	Cross cut	Micro cut	Cross cut	Micro cut	Cross cut	Micro cut
Cut size	4 x 35 mm	2 x 15 mm	4 x 35 mm	2 x 15 mm	4 x 35 mm	2 x 15 mm
Security level (DIN 66399)	P-4	P-5	P-4	P-5	P-4	P-5
Run time	20 min	20 min	30 min	30 min	40 min	40 min
Noise level	55 dB	55 dB	55 dB	55 dB	55 dB	55 dB
Bin capacity (L)	20	20	25	25	30	30
Rated sheet shredding speed	1,6 m / min	1,6 m / min	1,6 m / min	1,6 m / min	1,6 m / min	1,6 m / min
Power	350 W	350 W	550 W	600 W	680 W	680 W
Current	2,0 A	2,0 A	2,5 A	2,5 A	3,0 A	3,0 A
Bin full through	window	window	LED display	LED display	LED display	LED display
Display for open container	No	No	No	No	No	No

Technical data

Art. No.	2811	2812	2813	2814	2815	2816
Barcode (unit)	4030152028115	4030152028122	4030152028139	4030152028146	4030152028153	4030152028160
Unit dimensions (mm)	354 x 240 x 535	354 x 240 x 535	400 x 271,5 x 592	400 x 271,5 x 592	424,3 x 295 x 644,5	424,3 x 295 x 644,5
Unit weight (kg)	10,6	10,6	14,2	14,3	20	18,2
More information						

Logistical data

All shredders listed above include the following features:

- overheating and overload protection
- automatic return
- material to be cut: paper, staples, paper clips, credit cards
- automatic start-stop function
- pull out basket allows for easy emptying
- LED status indicator: ready, forward, reverse, overheat, overload



*Smart security
with a single touch*

HP OneShred

Modern shredders for everyday requirements that ensure simple and secure shredding of documents



HP OneShred 8CC / 12CC HP OneShred 15CC / 10MC HP OneShred 18CC / 12MC HP OneShred 24CC / 16MC

Quick benefits



High security levels

Depending on the type of cut being utilised, the models meet Security Level P-4 or P-5



Return function

Automatic reverse if too much paper is fed in at the same time




Cut type

The document shredders are available as Cross Cut (CC) or Micro Cut (MC) models



What can be cut?

Paper, credit cards, paper clips and staples



OneShred 18CC

overheat



bin open



overload



bin full

to be placed vertically



OneShred 8CC

OneShred 12CC

Shred capacity 8 sheets 12 sheets

Cut type	Cross cut	Cross cut
Cut size	5 x 18 mm	4 x 35 mm
Security level (DIN 66399)	P-4	P-4
Run time	4 min	6 min
Noise level	68 dB	65 dB
Bin capacity (L)	15	23
Rated sheet shredding speed	1,8 m / min	1,8 m / min
Power	200 W	300 W
Current	1,2 A	1,4 A
Bin full through	window	window
Display for open container	No	No

Technical data



HP OneShred 8CC



HP OneShred 12CC

Logistical data

Art. No.	2801 / 2809 (UK)	2802 / 2810 (UK)
Barcode (unit)	4030152028016 / 4030152028092 (UK)	4030152028023 / 4030152028108 (UK)
Unit dimensions (mm)	320 x 190 x 416	345 x 235 x 485
Unit weight (kg)	4,3	5,9

More information







All shredders listed above include the following features:

- overheating and overload protection
- automatic return
- material to be cut: paper, staples, paper clips, credit cards
- automatic start-stop function
- easy emptying due to removable shredder head
- LED Status Indicator: Ready, Forward, Reverse, Overheat, Overload

Shred capacity	15 sheets	10 sheets	18 sheets	12 sheets	24 sheets	16 sheets
Cut type	Cross cut	Micro cut	Cross cut	Micro cut	Cross cut	Micro cut
Cut size	4 x 35 mm	2 x 15 mm	4 x 35 mm	2 x 15 mm	4 x 35 mm	2 x 15 mm
Security level (DIN 66399)	P-4	P-5	P-4	P-5	P-4	P-5
Run time	10 min	10 min	20 min	20 min	> 30 min	> 30 min
Noise level	65 dB	65 dB	65 dB	65 dB	< 65 dB	< 65 dB
Bin capacity (L)	20	20	25	25	30	30
Rated sheet shredding speed	1,8 m / min	1,6 m / min	1,6 m / min	1,6 m / min	1,6 m / min	1,6 m / min
Power	350 W	350 W	450 W	600 W	680 W	680 W
Current	1,8 A	1,8 A	2,0 A	2,0 A	3,0 A	3,0 A
Bin full through	window	window	LED display	LED display	LED display	LED display
Display for open container	No	No	Yes	Yes	Yes	Yes

Technical data

Art. No.	2803	2804	2805	2806	2807	2808
Barcode (unit)	4030152028030	4030152028047	4030152028054	4030152028061	4030152028078	4030152028085
Unit dimensions (mm)	354 x 240 x 534	354 x 240 x 534	400 x 271,5 x 590	400 x 271,5 x 590	424 x 295 x 644,5	424 x 295 x 644,5
Unit weight (kg)	9,4	9,4	12,2	12,2	20	18,4
More information						

Logistical data

All shredders listed above include the following features:

- overheating and overload protection
- automatic return
- material to be cut: paper, staples, paper clips, credit cards
- automatic start-stop function
- pull out basket allows for easy emptying
- LED status indicator: ready, forward, reverse, overheat, overload

*For care and cleaning
of the cutting unit*



Care products for your HP Shredder

So that you will enjoy your shredder for a long time

At regular intervals, you should clean and maintain the cutting mechanism of your shredder. Over time, dust and paper residues accumulate from which your shredder should be cleaned. This not only extends the runtime and life of the shredder, the operating noise will also be reduced.



HP Shredder Oil
120 ml



HP Shredder Oil
400 ml



HP Shredder Oil Sheets

Quick benefits



Cleaning and care

The special oil frees the cutting unit from dust and paper residues



Lifetime

Regular cleaning ensures a longer run time for the shredder



Operating noise

With regular maintenance the noise level during operation remains pleasantly low



Environmentally friendly

Use of vegetable lubricants ensures no harmful substances for the environment



Shredder Oil Sheets

For care and cleaning of the cutting unit

Ölpapier für Aktenvernichter

Zur Pflege und Reinigung des Schneidwerks

12

Sheets



Plant based



Extends lifetime



Reduces noises



Product data

	Shredder Oil 120 ml	Shredder Oil 400 ml	Shredder Oil Sheets
Capacity	120 ml	400 ml	12 Blatt
Plant based	Yes	Yes	Yes
Packing size	closable dosing bottle	closable dosing bottle	Folding box with perforation

Logistical data

Art. No.	9131	9132	9133
Barcode (unit)	4030152091317	4030152091324	4030152091331
Unit dimensions (mm)	63 x 27 x 140	87 x 46 x 251	221 x 177 x 8
Unit weight (kg)	0,148	0,465	0,120
More information			



*Smart and fast
document protection*

HP Pro Laminators

High-quality laminators for professional demands -
extremely fast and absolutely effective




HP Pro Laminator 600 A4 / 600 A3

Quick benefits



Warm-up time

Heats up and ready for use in only
60 seconds



Film thickness

Suitable for laminating films with a
thickness of 75/80 to 125 microns



Speed

Film lamination of up to 1,500 mm per
minute using 80 micron laminating pouches



Touch Panel

Intuitive handling via a control panel with all
essential functions

FLAT INFOGRAPHIC ELEMENT



Laminating size
 min. credit card size -
 max. DIN A4 / A3

Laminating range 75/80 - 125 mic

Maximum thickness 0,5 mm

Cold laminating Yes

Temperature transport rollers 130 - 160 °C

Heating system 2 externally heated rollers,
 temperature controlled

Automatic standby 30 min

Warm up time (75/80 mic) 1 min

Laminating speed 600 mm / min

Power 1200 W / 1450 W

Current 5.2 A / 6.3 A

Technical data

Logistical data

Art. No. 3163 / 3164

Barcode (unit) 4030152031634 / 4030152031641

Unit dimensions (mm) 420 x 155 x 102,9 / 526 x 165 x 116,8

Unit weight (kg) 2,24 / 2,92

More information



All laminators listed above include the following features:

- voltage / mains frequency: 220 - 240 V / 50/60 Hz
- function for releasing the film jam (ABS) via rewind button on the touch panel
- foldable insertion aid
- accessories: 15 pouches (3 x DIN A4, 4 x DIN A5, 4 x DIN A6, 4 x business cards)
- operating modes on the touch panel: power, 75/80 mic, 125 mic, cold, rewind

Protection meets Creativity



HP OneLam

Compact laminators for hobby, office workplace and the private household



HP OneLam 400 A4 / OneLam 400 A3



HP OneLam Combo A3

Quick benefits



Usability

Suitable for hot as well as cold lamination



Accessories

Includes assorted pouch set, corner rounding cutter and cutting ruler



Film thickness

Suitable for laminating films with a thickness of 75/80 to 125 microns



Functions

With a roller release lever to clear paper jams



Accessories HP OneLam 400 A3

Includes cutting ruler, corner rounding cutter and assorted pouch set, with practical storage for corner rounding unit and cutting ruler on the underside of the device



Accessories HP OneLam Combo A3

Integrated cutter for straight, wavy or perforated cuts - perfect for creative crafting

Laminating size
min. credit card size -
max. DIN A3

min. credit card size -
max. DIN A3

Laminating range
75/80 - 125 mic

75/80 - 125 mic

Maximum thickness
0,5 mm

0,5 mm

Cold laminating
Yes

Yes

Temperature transport rollers
120 - 150 °C

120 - 150 °C

Heating system
2 rollers heatable from inside,
temperature controlled

2 rollers heatable from inside,
temperature controlled

Automatic standby
30 min

30 min

Warm up time (75/80 mic)
2-4 min

2-4 min

Foldable insertion aid
Yes

No

Technical data

Logistical data

Art. No.

3160 / 3161

3162

Barcode (unit)

4030152031603 / 4030152031610

4030152031627

Unit dimensions (mm)

380 x 123 x 81 / 460 x 140 x 86

460 x 158 x 115

Unit weight (kg)

1,35 / 1,77

1,65

More information



All laminators listed above include the following features:

- laminating speed: 400 mm / min
- power: 400 W, current: 1.74 A
- voltage / mains frequency: 220-240 V / 50/60 Hz
- film jam release function (ABS)
- button modes: on/off, 75/80 mic, 125 mic, cold

*Durable protection for photos,
graphics and all types
of documents*




HP Premium laminating pouches

The right premium laminating films for your HP laminator




Quick benefits




Film thickness

Available in 80, 125 and 250 microns



Formats

Available in the popular size DIN A3 as well as DIN A4



Application

These laminating films are only suitable for hot lamination



Features

Laminating pouches are available in a clear format with a gloss finish



Premium laminating pouches

Laminierfolien Premium



Durable protection for photos, graphics and all types of documents.
Dauerhafter Schutz für Fotos, Grafiken und alle Arten von Dokumenten.


A3
303 x 426

80
Micron

50
Pouches






Crystal clear


Glossy





Hot laminating

A4, 125 mic, 25 pcs. A4, 80 mic, 100pcs. A4, 125 mic, 100 pcs. A4, 250 mic, 50 pcs.

perforated

Art. No.	9122	9123	9124	9125
Barcode (unit)	4030152091225	4030152091232	4030152091249	4030152091256
Format	DIN A4 prepunched	DIN A4	DIN A4	DIN A4
Pouch size	228 x 303 mm	216 x 303 mm	216 x 303 mm	216 x 303 mm
Thickness (micron)	125	80	125	250
Pouches (pack)	25	100	100	50
More information				

Product data

Art. No.	9126	9127	9128
Barcode (unit)	4030152091263	4030152091270	4030152091287
Format	DIN A3	DIN A3	DIN A3
Pouch size	303 x 426 mm	303 x 426 mm	303 x 426 mm
Thickness (micron)	80	125	250
Pouches (pack)	50	50	25
More information			

Logistical data

*Durable protection for photos,
graphics and all types
of documents*



HP Everyday laminating pouches

The right everyday laminating films for your HP laminator




Quick benefits




Film thickness

Available in a film thickness of 75 to 80 microns



Formats

From business card formats as well as DIN A6 and DIN A5 up to DIN A4 and DIN A3 sizes



Application

Laminating films suitable for hot lamination only



Features

Laminating pouches are available in a clear format with a gloss finish



Everyday laminating pouches

Laminierfolien Everyday



Durable protection for photos, graphics and all types of documents.
Dauerhafter Schutz für Fotos, Grafiken und alle Arten von Dokumenten.


A4
216 x 303

75
Micron

100
Pouches


Crystal clear






Glossy


Hot laminating

A3, 80 mic, 25 pcs. A4, 80 mic, 25 pcs. A4, 80 mic, 100 pcs. A5, 80 mic, 25 pcs.





Small Pack

Big Pack

Art. No.	9152	9153	9154	9155
Barcode (unit)	4030152091522	4030152091539	4030152091546	4030152091553
Format	DIN A3	DIN A4	DIN A4	DIN A5
Pouch size	303 x 426 mm	216 x 303 mm	216 x 303 mm	154 x 216 mm
Thickness (micron)	80	80	80	80
Pouches (pack)	25	25	100	25
More information				

Product data

A6, 80 mic, 25 pcs. Business card, 80 mic, 100 pcs. Starter Set, 80 mic, 100 pcs. A4, 75 mic, 100 pcs.

Art. No.	9156	9157	9158	9159
Barcode (unit)	4030152091560	4030152091577	4030152091584	4030152952434
Format	DIN A6	business cards	DIN A4, DIN A5, DIN A6, business cards	DIN A4
Pouch size	110 x 160 mm	60 x 95 mm	diverse	216 x 303 mm
Thickness (micron)	80	80	80	75
Pouches (pack)	25	100	100 (25 pcs. per format)	100
More information				

Logistical data



HP is a trademark of HP Inc. or its affiliates, used by GO Europe GmbH under license from HP Inc.:
GO Europe GmbH | Zum Kraftwerk 1 | 45527 Hattingen (Germany)
sales-hp@go-europe.com | www.hp.com/officeequipment

V2406